OIPE COLE

COPY OF PAPERS ORIGINALLY FILED

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE (Case No. MBHB-00-812-F; RPI Ref. No. 400/043)

In the Application of:			RECEIVE			
Stinchcomb, et al.)			
Serial No.:	10/056,414) Art Unit: 1635	JUN 2 7 2002		
Filing Date: January 23, 2002			Examiner: A. W	16G H CENTER 1600/2900		
For: Ril Conditions	bozyme Treatment of Diseas s Related to Levels of NF-K	ases or B))			
	ner for Patents n, D.C. 20231					
		TRANSMITT	AL LETTER			
1. We	are transmitting herewith th	e attached papers	for the above identified pa	tent application:		
	☑ Information Disclos	ure Statement (14	1 pp.)			
	☐ PTO-1449 Form (13	3 pp.)				
	Return Postcard.					
2. 🔲 A	check in the amount of \$	is enclosed for	r the Filing Fee.			
⊠ No	o fee is required.					
additi	ERAL AUTHORIZATIO onal fees or credit overpayi is enclosed.	N TO CHARG	EE OR CREDIT FEES: Account No. 13-2490. A	Please charge any duplicate copy of this		
this T with t	TIFICATE OF MAILING ransmittal Letter and the pathe United States Postal Serssed to: Commissioner for P	per, as described vice with sufficie	in paragraph 1 hereinabovent postage as "First Class on, D.C 20231, on June 17	e, are being deposited Mail" in an envelope		
		$ u_{1}$	Lisa M.W. Hillman Reg. No. 43,673			



UNITED STATES PATENT AND TRADEMARK OFFICE (Case No. MBHB-00-812-F; RPI Ref. No. 400/043)

RECEIVED

In the Application of:)	JUN 2 7 2002
Stinchcomb, et al.)	Art Unit: 1635 TECH CENTER 1600/2900
Serial No.: 10/056,414)	Art Out. 1033
Filing Date: January 23, 2002)	Examiner: A. Wang #5/K.T.
For: Ribozyme Treatment of Diseases or)	17/2
Conditions Related to Levels of NF-κB)	T.D.S.

INFORMATION DISCLOSURE STATEMENT

Commissioner of Patents Washington, D.C. 20231

Dear Sir:

Pursuant to the duty of disclosure provided by 35 C.F.R. § 1.56 and §§ 1.97-98, the applicants wish to make the following references of record in the above-identified application. Copies of the references were previously submitted in parent application serial numbers 08/291,932 and 08/777,916, and in accordance with 37 C.F.R. Section 1.98(d), are not being resubmitted (document numbers marked with "*" are not enclosed). These references are also listed in the PTO-1449 form enclosed herewith.

Portions of the references may be material to the examination of the pending claims, however no such admission is intended 37 C.F.R. 1.97 (h). The references have not been reviewed in sufficient detail to make any other representation and, in particular, no representation is intended as to the relative importance of any portion of the references. This Statement is not a representation that the cited references have effective dates early enough to be "prior art" within the meaning of 35 U.S.C. sections 102 or 103.

Applicants do not believe any fee is due with this submission. If this belief be in error and the Patent Office determines that the fee prescribed in the relevant portion of 37 C.F.R. Section 1.97 is applicable, the undersigned attorney by her signature hereby authorizes any such fee to be debited from Deposit Account 13-2490.

CITED REFERENCES

I. <u>United States Patents</u>

- * Altman, U.S. Patent No. 5,168,053, issued August 17, 1990.
- * Cech et al., U.S. Patent 4,987,071, issued January 22, 1991.
- * Draper et al., U.S. Patent No. 5,496,598, issued March 5, 1996.
- * McSwiggen, U.S. Patent No. 5,525,468, issued June 11, 1996.
- * Nabel et al., U.S. Patent No. 5,328,470, issued July 26, 1991.
- * Slepian et al., U.S. Patent No. 5,213,580, issued May 25, 1993.

II. Foreign Documents

- * Calabretta et al., WO 92/20348, published November 26, 1992.
- * Draper et al., WO 93/23569, published November 25, 1993.
- * Eckstein et al., WO 99/16871, published April 8, 1999.
- * Fung et al., WO 91/15580, published October 17, 1991.
- * Gewirtz, WO 93/09789, published May 27, 1993.
- * Reddy, WO 92/00080, published January 9, 1992.
- * Rosenberg, WO 93/08845, published May 13, 1993.
- * Rossi et al., WO 91/03162, published March 21, 1991.
- * Scanlon, WO 91/18913, published December 12, 1991.

- * Scanlon, WO 91/18624, published December 12, 1991.
- * Scanlon, WO 91/18625, published December 12, 1991.
- * Sproat et al., WO 92/11298
- * Sullivan et al., WO 94/02595, published February 3, 1994.
- * Sytkowski, WO 93/02654, published February 18, 1993.
- * Usman et al., WO 93/15187, published August 5, 1993.

III. Other Documents

- * Akhtar and Juliano, "Cellular Uptake and Intracellular Fate of AntiSense Oligonucleotides, "Trend Cell Biol. 2:139-144 (1992)
- * Alitalo et al., "Aberrant Expression of An Amplified *c-myb* Oncogene in two cell lines from a colon carcinoma," <u>Proc. Natl. Acad. Sci. USA</u> 81:4534-4538 (1984)
- * Anfossi et al., "An oligomer complementary to *c-myb*-encoded mRNA inhibits proliferation of human myeloid leukemia cell lines," <u>Proc. Natl. Acad. Sci. USA</u> 86:3379-3383 (1989)
- * Austin et al., "Intimal Proliferation of Smooth Muscle Cells as an Explanation for Recurrent Coronary Artery Stenosis After Percutaneous Transluminal Coronary Angioplasty," J. Am. Coll. Cardiol. 6:369-375 (1985)
- * Ballantyne et al., "Nucleotide Sequence of the cDNA for murine intercellular adhesion molecule-1 (ICAM-1)," Nucleic Acids Research 17:5853 (1989)
- * Banskota et al., "Insulin, Insulin-Like Growth Factor I and Platelet-Derived Growth Factor Interact Additively in the Induction of the Protooncogene *c-myc* and Cellular Proliferation in Cultured Bovine Aortic Smooth Muscle Cells," Molec. Endocrinol., 3:1183-1190 (1989)
- * Barinaga, "Ribozymes: Killing the Messenger," <u>Science</u> 262:1512-1514 (1993)
- * Belknap et al., "Modulation-Induced Expression of Serum Response Factor in Vascular Smooth Muscle Cells," <u>J. Cell Biochem.</u> S18A:277 at E200 (1994)
- * Bennett et al., "Cationic Lipids Enhance Cellular Uptake and Activity of Phosphorothioate Antisense Oligonucleotides," Mol. Pharmacology 41:1023-1033 (1992)

- * Biotech Abstracts Act. #91-00050 EP 388758 (9/26/90)
- * Biro et al., "Inhibitory Effects of Antisense Oligodeoxynucleotides targeting cmyc mRNA on smooth muscle cell proliferation and migration," <u>Proc. Natl. Acad.</u> <u>Sci. USA</u> 90:654-658 (1993)
- * Blam et al., "Addition of Growth Hormone Secretion Signal to basic Fibroblast Growth Factors Results in Cell Transformation and Secretion of Aberrant Forms of the Protein," Oncogene 3:129-136 (1988)
- * Bours et al., "A Novel Mitogen-Inducible Gene Product Related to p50/p105-NF-κB Participates in Transactivation through a κB Site," *Molecular and Cellular Biology* 12:685-695 (1992)
- * Brown et al., "Expression of the *c-myb* Proto-oncogene in Bovine Vascular Smooth Muscle Cells," <u>J. Biol. Chem.</u> 267:4625-4630 (1992)
- * Bywater et al., "Expression of recombinant platelet-derived growth factor A-chain and B-chain homodimers in Rat-1 cells and human fibroblasts reveals differences in protein processing and autocrine effects," Molecular And Cellular Biology 8:2753-2762 (1988) (ABSTRACT ONLY)
- * Calabretta et al., "Normal and Leukemic Hematopoietic Cells Manifest Differential Sensitivity to Inhibitory Effects of *c-myb* Antisense Oligodeoxynucleotides: An *in vitro* study relevant to bone marrow purging," Proc. Natl. Acad. Sci. USA 88:2351-2355 (1991)
- * Califf et al., "Restenosis: The Clinical Issues," in <u>Textbook of Interventional</u> <u>Cardiology</u>, E.J. Topol, ed., W. B. Saunders, Philadelphia, pp 363-394 (1990)
- * Cameron and Jennings, "Specific Gene Expression by Engineered Ribozymes in Monkey Cells," Proc. Natl. Acad. Sci. USA 86:9139-9143 (1989)
- * Cech, "Ribozymes and Their Medical Implications," *JAMA* 260:3030-3034 (1988)
- * Chen et al., "Multitarget-Ribozyme Directed to Cleave at up to Nine Highly Conserved HIV-1 env RNA Regions Inhibits HIV-1 Replication-Potential Effectiveness Against Most Presently Sequenced HIV-1 Isolates," <u>Nucleic Acids</u> <u>Research</u> 20:4581-4589 (1992)
- * Chowrira and Burke, "Extensive Phosphorothioate Substitution Yields Highly Active and Nuclease- Resistant Hairpin Ribozymes," <u>Nucleic Acids Research</u> 20:2835-2840 (1992)

- * Chuat and Galibert, "Can Ribozymes be Used to Regulate Procaryote Gene Expression?" <u>Biochemical and Biophysical Research Communications</u> 162:1025-1029 (1989)
- * Cleary et al., "Cloning and Structural Analysis of cDNAs For bcl-2 and a Hybrid bcl-2/Immunoglobulin Transcript Resulting from the t(14;18) Translocation," Cell 47:19-28 (1986)
- * Clowes et al., "Kinetics of Cellular Proliferation After Arterial Injury," <u>Lab Invest</u>. 49:327-333 (1983)
- * Collins and Olive, "Reaction Conditions and Kinetics of Self-Cleavage of a Ribozyme Derived From *Neurospora* VS RNA," <u>Biochemistry</u> 32:2795-2799 (1993)
- * Cotten, "The in vivo application of ribozymes," <u>TIBTECH</u> 8:174-178 (1990)
- * Cotten et al., "Chicken Adenovirus (CELO Virus) Particles Augment Receptor-Mediated DNA Delivery to Mammalian Cells and Yield Exceptional Levels of Stable Transformants," J. Virol. 67:3777-3785 (1993)
- * Cotten et al., "High-Efficiency Receptor-Mediated Delivery of Small and Large (48 Kilobase Gene Constructs Using the Endosome-Disruption Activity of Defective or Chemically Inactivated Adenovirus Particles," Proc. Natl. Acad. Sci. USA 89:6094-6098 (1992)
- * Cotten et al., "Transferrin-Polycation-Mediated Introduction of DNA into Human Leukemic Cells: Stimulation by Agents that Affect the Survival of Transfected DNA or Modulate Transferrin Receptor Levels," Proc. Natl. Acad. Sci. USA 87:4033 (1990) (Abstract)
- * Cristiano et al., "Hepatic Gene Therapy: Adenovirus Enhancement of Receptor-Mediated Gene Delivery and Expression in Primary Hepatocytes," <u>Proc. Natl.</u> <u>Acad. Sci. USA</u> 90:2122-2126 (1993)
- * Curiel et al., "Adenovirus Enhancement of Transferrin-Polylysine-Mediated Gene Delivery," Proc. Nat. Acad. Sci. USA 88:8850-8854 (1991)
- * Dropulic et al., "Functional Characterization of a U5 Ribozyme: Intracellular Suppression of Human Immunodeficiency Virus Type I Expression," <u>Journal of Virology</u> 66:1432-1441 (1992)
- * Eck et al., "Inhibition of Phorbol Ester-Induced Cellular Adhesion by Competitive Binding of NF-_KB In Vivo," Mol. Cell. Biol. 13:6530-6536 (1993)

- * Edgington, "Ribozymes: Stop Making Sense," <u>Biotechnology</u> 10:256-262 (1992)
- * Elroy-Stein and Moss, "Cytoplasmic Expression System Based on Constitutive Synthesis of Bacteriophage T7 RNA Polymerase in Mammalian Cells," Proc. Natl. Acad. Sci. USA 87:6743-6747 (1990)
- * Ferguson et al., "Compensation for Treating Wounds to Inhibit Scar Tissue Contains Agent Esp. Antibody, Which Selectively Neutralises Fibrotic Growth Factors, "WPI Acc# 92-3659974/44
- * Ferns et al., "Inhibition of Neointimal Smooth Muscle Accumulation After Angioplasty by an Antibody to PDGF," <u>Science</u> 253:1129-1132 (1991)
- * Gao and Huang, "Cytoplasmic Expression of a Reporter Gene by Co-Delivery of T7 RNA Polymerase and T7 Promoter Sequence with Cationic Liposomes," Nucleic Acids Research 21:2867-2872 (1993)
- * Garratt et al., "Differential Histopathology of Primary Atherosclerotic and Restenotic Lesions in Coronary Arteries and Saphenous Vein Bypass Grafts: Analysis of Tissue Obtained From 73 Patients by Directional Atherectomy," J. Am. Coll. Cardio. 17:442-448 (1991)
- * Geisler et al., "cactus, a Gene Involved in Dorsoventral Pattern Formation of Drosophila, Is Related to the IκB Gene Family of Vertebrates," Cell 71:613-621 (1992)
- * Gewirtz et al., "Facilitating oligonucleotide delivery: Helping antisense deliver on its promise," Proc. Natl. Acad. Sci. USA 93:3161-3163 (1996)
- * Ghosh et al., "Cloning of the p50 DNA Binding Subunit of NF-κB: Homology to rel and dorsal," Cell 62:1019-1029 (1990)
- * Goldberg et al., "Vascular Smooth Muscle Cell Kinetics: A New Assay for Studying Patterns of Cellular Proliferation in vivo," Science 205:920-922 (1979)
- * Griffin and Baylin, "Expression of the *c-myb* Oncogene in Human Small Cell Lung Carcinoma," <u>Cancer Res.</u> 45:272-275 (1985)
- * Grotendorst et al., "Attachment of Smooth Muscle Cells to Collagen and Their Migration Toward Platelet-Derived Growth Factor," Proc. Natl. Acad. Sci. USA 78:3669-3672 (1982)
- * Guerrier-Takada et al., "The RNA Moiety of Ribonuclease P Is the Catalytic Subunit of the Enzyme," Cell 35:849-857 (1983)

- * Hajjar et al., "Tumor Necrosis Factor-Mediated Release of Platelet-Derived Growth Factor From Cultured Endothelial Cells," <u>J. Exp. Med.</u> 166:235-245 (1987)
- * Hampel et al., "'Hairpin' Catalytic RNA Model: Evidence for Helices and Sequence Requirement for Substrate RNA," <u>Nucleic Acids Research</u> 18:299-304 (1990)
- * Herschlag, "Implications of Ribozyme Kinetics for Targeting the Cleavage of Specific RNA Molecules *in vivo*: More Isn't Always Better," <u>Proc. Natl. Acad. Sci. USA</u> 88:6921-6925 (1991)
- * Hertel et al., "Numbering System for the Hammerhead," <u>Nucleic Acids Research</u> 20:3252 (1992)
- * Higashiyama et al., "A Heparin-Binding Growth Factor Secreted by Macrophage-Like Cells That is Related to EGF," <u>Science</u> 251:936-939 (1991)
- * Jeffries and Symons, "A Catalytic 13-mer Ribozyme," <u>Nucleic Acids Research</u> 17:1371-1377 (1989) (also referred to as Jefferies)
- * Johnston and Hoth, "Present Status and Future Prospects for HIV Therapies," Science 260:1286-1293 (1993)
- * Kashani-Sabet et al., "Reversal of the Malignant Phenotype by an Anti-ras Ribozyme," Antisense Research & Development 2:3-15 (1992)
- * Kaye et al., "Structure and Expression of the Human L-myc Gene Reveal a Complex Pattern Of Alternative mRNA Processing," Mol. Cell. Biol. 8:186-195 (1988)
- * Kindy and Sonenshein, "Regulation of Oncogene Expression in Cultured Aortic Smooth Muscle Cells," J. Biol. Chem. 261:12865-12868 (1986)
- * Kita et al., "Sequence and expression of rat ICAM-1," <u>Biochem. Biophys. Acta</u> 1131:108-110 (1992)
- * Kitajima et al., "Ablation of Transplanted HTLV-I Tax-Transformed Tumors in Mice by Antisense Inhibition of NF-_KB," Science 258:1792-1795 (1992)
- * Klagsbrun and Edelman, "Biological and Biochemical Properties of Fibroblast Growth Factors," Arteriosclerosis 9:269-278 (1989)

- * Koizumi et al., "Ribozymes Designed to Inhibit Transformation of NIH3T3 Cells by the Activated c-Ha-ras Gene," Gene 117:179-184 (1992)
- * Komuro et al., "Endothelin stimulates c-fos and c-myc expression and proliferation of vascular smooth muscle cells," FEBS Letters 238:249-252 (1988)
- * Kunapuli et al., "Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart DNA sequence," <u>Circ. Res.</u> 60:786-790 (1987) (ABSTRACT ONLY)
- * Kunsch and Rosen, "NF-_KB Subunit-Specific Regulation of the Interleukin-8 P Promoter," Mol. Cell. Biol. 13:6137-6146 (1993)
- * La Rosa et al., "Differential Regulation of the *c-myc* Oncogene Promoter by the NF-_KB Rel Family of Transcription Factors," <u>Mol. Cell. Biol.</u> 14:1039-1044 (1994)
- * Laurence et al., "Induction of Chronic Human Immunodeficiency Virus Infection Is Blocked In Vitro by a Methylphosphonate Oligodeoxynucleoside Targeted to a U3 Enhancer Element," Journal of Virology 213-219 (1991)
- * Lenardo and Baltimore, "NF-_KB: A Pleiotropic Mediator of Inducible and Tissue Specific Gene Control," Cell 58:227-229 (1989)
- * L'Huillier et al., "Cytoplasmic Delivery of Ribozymes Leads to Efficient Reduction in α-Lactalbumin mRNA Levels in C1271 Mouse," <u>EMBO J.</u> 11:4411-4418 (1992)
- * Lieber et al., "Stable High-Level Gene Expression in Mammalian Cells by T7 Phage RNA Polymerase," Methods Enzymol. 217:47-66 (1993)
- * Lindner and Reidy, "Proliferation of Smooth Muscle Cells After Vascular Injury Is Inhibited by an Antibody Against Basic Fibroblast Growth Factor," Proc. Natl.Acad. Sci. USA 88:3739-3743 (1991)
- * Lisziewicz et al., "Inhibition of Human Immunodeficiency Virus Type 1 Replication by Regulated Expression of a Polymeric Tat Activation Response RNA Decoy as a Strategy for Gene Therapy in AIDS," Proc. Natl. Acad. Sci. U.S.A. 90:8000-8004 (1993)
- * Liu et al., "Specific NF-_KB Subunits Act in Concert with Tat To Stimulate Human Immunodeficiency Virus Type 1 Transcription," J. Virology 66:3883-3887 (1992)

- * Majello et al., "Human *c-myb* Protooncogene: Nucleotide Sequence of cDNA and Organization of the Genomic Locus," <u>Proc. Natl. Acad. Sci. USA</u> 83:9636-9640 (1986)
- * Mamone et al., "Design of Hammerhead Ribozymes Targeted to Sequences in HIV, HSV and the RAT ANF Gene," Abstract of Keystone, CO (May 27, 1992)
- * McGrath et al., "Structure and Organization of the Human Ki-ras Protooncogene And a Related Processed Pseudogene," Nature 304:501-506 (1983)
- * Melani et al., "Inhibition of Proliferation by *c-myb* Antisense Oligodeoxynucleotide in Colon Adenocarcinoma Cell Lines that Express *c-myb*," Cancer Res. 51:2897-2901 (1991)
- * Minvielle et al., "A novel calcitonin carboxyl-terminal peptide produced in medullary thyroid carcinoma by alternative RNA processing of the calcitonin-calcitonin gene-related peptide gene," <u>J. Biol. Chem.</u> 266:24627-25631 (1991) (ABSTRACT ONLY)
- * Nabel et al., "Site-Specific Gene Expression in Vivo by Direct Gene Transfer Into the Arterial Wall," <u>Science</u> 249:1285-1288 (1990)
- * Nabel et al., Recombinant Platelet-Derived Growth Factor B Gene Expression in Porcine Arteries Induces Intimal Hyperplasia In Vivo," <u>J. Clin. Invest.</u> 91:1822-1829 (1993)
- * Narayanan et al., "Evidence for Differential Functions of the p50 and p65 Subunits of NF-_KB with a Cell Adhesion Model," Mol. Cell. Biol. 13:3802-3810 (1993)
- * O'Brien et al., "Vascular Cell Adhesion Molecule-1 is Expressed in Human Coronary Atherosclerotic Plaques," J. Clin. Invest. 92:945-951 (1993)
- * Ohkawa et al., "Activities of HIV-RNA Targeted Ribozymes Transcribed From a 'Shot-Gun' Type Ribozyme-trimming Plasmid," <u>Nucleic Acids Symp. Ser.</u> 27:15-16 (1992)
- * Ohno et al., "Gene Therapy for Vascular Smooth Muscle Cell Proliferation After Arterial Injury," Science 265:781-784 (1994)
- * Ojwang et al., "Inhibition of Human Immunodeficiency Virus Type 1 Expression by a Hairpin Ribozyme," <u>Proc. Natl. Acad. Sci. USA</u> 89:10802-10806 (1992)
- * Pavco et al., "Regulation of Self-Splicing Reactions by Antisense RNA," Abstract of Keystone, CO (May 27, 1992)

- * Perkins et al., "Distinct combinations of NF-_KB subunits determine the specificity of transcriptional activation," <u>Proc. Natl. Acad. Sci. USA</u> 89:1529-1533 (1992)
- * Perreault et al., "Mixed Deoxyribo- and Ribo-Oligonucleotides with Catalytic Activity," Nature 344:565-567 (1990) (often mistakenly listed as Perrault)
- * Perrotta and Been, "Cleavage of Oligoribonucleotides by a Ribozyme Derived from the Hepatitis δ Virus RNA Sequence," <u>Biochemistry</u> 31:16-21 (1992)
- * Pieken et al., "Kinetic Characterization of Ribonuclease-Resistant 2'-Modified Hammerhead Ribozymes," <u>Science</u> 253:314-317 (1991)
- * Popoma et al., "Clinical Trials of Restenosis After Coronary Angioplasty," <u>Circulation</u> 84:1426-1436 (1991)
- * Raines et al., "Interleukin-1 Mitogenic Activity for Fibroblasts and Smooth Muscle Cells Is Due to PDGF-AA," <u>Science</u> 243:393-396 (1989)
- * Raschella et al., "Inhibition of Proliferation by *c-myb* Antisense RNA and Oligodeoxynucleotides in Transformed Neuroectodermal Cell Lines," <u>Cancer Research</u> 52:4221-4226 (1992)
- * Ratajczak et al., "In Vivo Treatment of Human Leukemia in a scid Mouse Model With c-myb Antisense Oligodeoxynucleotides," Proc. Natl. Acad. Sci. USA 89:11823-11827 (1992)
- * Ray and Prefontaine, "Physical association and functional antagonism between the p65 subunit of transcription factor NF-_KB and the glucocorticoid receptor," <u>Proc. Natl. Acad. Sci. USA</u> 91:752-756 (1994)
- * Read et al., "NF-_KB and I_KBα: An Inducible Regulatory System in Endothelial Activation," <u>J. Exp. Med.</u> 179:503-512 (1994)
- * Riessen et al., "Arterial Gene Transfer Using Pure DNA Applied Directly to a Hydrogel-Coated Angioplasty Balloon," Human Gene Therapy 4:749-758 (1993)
- * Roessler et al., "Adenoviral-mediated Gene Transfer to Rabbit Synovium in Vivo," J. Clin. Invest. 92:1085-1092 (1993)
- * Rojanasakul, "Antisense oligonucleotide therapeutics: drug delivery and targeting," <u>Advanced Drug Delivery Reviews</u> 18:115-131 (1996)
- * Ross et al., "A Platelet-Dependent Serum Factor That Stimulates the Proliferation of Arterial Smooth Muscle Cells *In Vitro*," <u>Proc. Natl. Acad. Sci. USA</u> 71:1207-

1210 (1974)

- * Rossi et al., "Ribozymes as Anti-HIV-1 Therapeutic Agents: Principles, Applications, and Problems," <u>Aids Research and Human Retroviruses</u> 8:183-189 (1992)
- * Rossi et al., "Ribozyme-mediated intracellular immunity to HIV-1 in CD4+ Hela Cells hammerhead RNA; antisense RNA gene cloning and expression in cell culture; potential application in gene therapy; protection against HIV virus-1 infection," J. Cell. Biochem. Supplement 14A:D428 (1990) (ABSTRACT ONLY)
- * Ruben et al., "Isolation of a rel-related human cDNA that potentially encodes the 65-kD subunit of NF, kappba B," Science 251-5000 (1991)
- * Ruben et al., "Isolation of a rel-related human cDNA that potentially encodes the 65-kD subunit of NF, kappba B," Science 251-5028 (1991)
- * Ruben et al., Genes & Development 6:745-760 (1992)
- * Sarver et al., "Catalytic RNAs (Ribozymes): A New Frontier in Biomedical Applications," <u>AIDS Res. Revs.</u> 2:259-285 (1992)
- * Sarver et al., "Ribozymes as Potential Anti-HIV-1 Therapeutic Agents" Science 247:1222-1225 (1990)
- * Saville and Collins, "A Site-Specific Self-Cleavage Reaction Performed by a Novel RNA In Neurospora Mitochondria," Cell 61:685-696 (1990)
- * Saville and Collins, "RNA-Mediated Ligation of Self-Cleavage Products of a *Neurospora* Mitochondrial Plasmid Transcript," <u>Proc. Natl. Acad. Sci. USA</u> 88:8826-8830 (1991)
- * Scanlon et al., "Ribozyme-Mediated Cleavage of c-fos mRNA Reduces Gene Expression of DNA Synthesis Enzymes and Metallothionein," Proc. Natl. Acad. Sci. USA 88:10591-10595 (1991)
- * Scaringe et al., "Chemical synthesis of biologically active oligoribonucleotides using β-cyanoethyl protected ribonucleoside phosphoramidites," <u>Nucl Acids Res.</u> 18:5433-5441 (1990)
- * Schmid et al., "Cloning of an NF-κB subunit which stimulates HIV transcription in synergy with p65," Nature 352:733-736 (1991)
- * Semba, "A v-erbB-Related Protooncogene, C-erB-2, Is Distinct From the c-erbB-1/Epidermal Growth Factor-Receptor Gene and Is Amplified in A Human

- * Salivary Gland Adenocarcinoma," <u>Proc. Natl. Acad. Sci. USA</u> 82:6497-6501 (1985)
- * Sessa et al., "Molecular Cloning and Expression of a cDNA Encoding Endothelial Cell Nitric Oxide Synthase," J. Biol. Chem., 267:15274-15276 (1992)
- * Seth et al., "Mechanism of Enhancement of DNA Expression Consequent to Cointernalization of a Replication-Deficient Adenovirus and Unmodified Plasmid DNA," J. Virol. 68:933-940 (1994)
- * Shi et al., "Down Regulation of *c-myc* Expression by Antisense Oligonucleotides Inhibits Proliferation of Human Smooth Muscle Cells," <u>Circulation</u> 88:1190-1195 (1993)
- * Shu et al., "Differential Regulation of Vascular Cell Adhesion Molecule 1 Gene Expression by Specific NF-_KB Subunits in Endothelial and Epithelial Cells," <u>Mol. Cell. Biol.</u> 13:6283-6289 (1993)
- * Simmons et al., "ICAM, an adhesion ligand of LFA-1, is homologous to the neural cell adhesion molecule NCAM," Nature 331:624-627 (1988)
- * Simons et al., "Antisense *c-myb* Oligonucleotides Inhibit Intimal Arterial Smooth Muscle Cell Accumulation *in vivo*," Nature 359:67-70 (1992)
- * Simons et al., "Relation Between Activated Smooth Muscle Cells in Coronary-Artery Lesions and Restenosis After Atherectomy," New Engl. J. Med. 328:608-613 (1993)
- * Sioud and Drlica, "Prevention of Human Immunodeficiency Virus Type 1 Integrase Expression in *Escherichia coli* by a Ribozyme," <u>Proc. Natl. Acad. Sci. USA</u> 88:7303-7307 (1991)
- * Sjolund et al., "Arterial Smooth Muscle Cells Express Platelet-Derived Growth Factor (PDGF) A Chain mRNA, Secrete a PDGF-Like Mitogen, and Bind Exogenous PDGF in a Phenotype- and Growth State- Dependent Manner," J. Cell. Biol. 106:403-413 (1988)
- * Slamon et al., "Studies of the Human *c-myb* Gene and Its Products In Human Acute Leukemias," <u>Science</u> 233:347-351 (1986)
- * Slamon et al., "Expression of Cellular Oncogenes in Human Malignancies," Science 224:256-262 (1984)
- * Stull and Szoka, "Antigene, Ribozyme and Aptamer Nucleic Acid Drugs: Progress and Prospects," <u>Pharmaceutical Research</u> 12:465-483 (1995)

- * Taira et al., "Construction of a novel RNA-transcript-trimming plasmid which can be used both *in vitro* in place of run-off and (G)-free transcriptions and *in vivo* as multi-sequences transcription vectors," <u>Nucleic Acids Research</u> 19:5125-5130 (1991)
- * Ten Dijke et al., "Recombinant transforming growth factor type β-3 biological activities and receptor-bonding properties in isolated bone cells," Molecular and Cellular Biology 10:4473-4479 (1990) (ABSTRACT ONLY)
- * Tessler et al., "Basic fibroblast growth factor accumulates in the nuclei of various BFGF-producing cell types," <u>J. Cellular Physiology</u> 145:310-317 (1990) (ABSTRACT ONLY)
- * Thanos et al., "The High Mobility Group Protein HMG I(Y) Is Required for NF-κB-Dependent Virus Induction of the Human IFN-β Gene," Cell 71:777-789 (1992)
- * Thiele et al., "Regulation of *c-myb* Expression in Human Neuroblastoma Cells During Retinoic Acid-Induced Differentiation," Mol. Cell. Biol. 8:1677-1683 (1988)
- * Torelli et al., "Expression of *c-myb* Protoncogene and Other Cell Cycle-Related Genes in Normal and Neoplastic Human Colonic Mucosa," <u>Cancer Res.</u> 47:5266-5269 (1987)
- * Uhlenbeck, "A Small Catalytic Oligoribonucleotide," Nature 328:596-600 (1987)
- * Usman and Cedergren, "Exploiting the chemical synthesis of RNA," <u>TIBS</u> 17: 334-339 (1992)
- * Usman et al., "Automated Chemical Synthesis of Long Oligoribonucleotides Using 2'-O-Silylated Ribonucleoside 3'-O-Phosphoramidites on a Controlled-Pore Glass Support: Synthesis of a 43-Nucleotide Sequence Similar to the 3'-Half Molecule of an *Escherichia coli* Formylmethoionine tRNA," J. Am. Chem. Soc. 109:7845-7854 (1987)
- * van de Stolpe et al., "12-O-Tetradecanoylphorbol- 13-acetate- and Tumor Necrosis Factor α-meidated Induction of Intercellular Adhesion Molecule-1 Is Inhibited by Dexamethasone," J. Biol. Chem. 269:6185-6192 (1994)
- * Ventura et al., "Activation of HIV-Specific Ribozyme Activity by Self-Cleavage," Nucleic Acids Research 21:3249-3255 (1993)
- * Weerasinghe et al., "Resistance to Human Immunodeficiency Virus Type 1 (HIV-

- 1) Infection in Human CD4⁺ Lymphocyte-Derived Cell Lines Conferred by Using Retroviral Vectors Expressing an HIV-1 RNA-Specific Ribozyme," <u>Journal of Virology</u> 65:5531-5534 (1994)
- * Weiser et al., "The Growth-related Transcription Factor OCT-1 is Expressed as a Function of Vascular Smooth Muscle Cell Modulation," <u>Journal of Virology</u> S18A:282 (1994)
- * Westin et al., "Alternative Splicing of the Human *c-myb* Gene," Oncogene 5:1117-1124 (1990)
- * Willard et al., "Recombinant Adenovirus in an Efficient Vector for *In Vivo* Gene Transfer and can be Preferentially Directed at Vascular Endothelium or Smooth Muscle Cells," <u>Circulation Abstracts from the 6th Scientific Sessions</u>, New Orleans Convention Center, New Orleans, Louisiana, November 16-19, 1992 86:I-473 at 1880
- * Yu et al., "A Hairpin Ribozyme Inhibits Expression of Diverse Strains of Human Immunodeficiency Virus Type 1," <u>Proc. Natl. Acad. Sci. USA</u> 90:6340-6344 (1993)
- * Zaia et al., "Status of ribozyme and antisense-based developmental approaches for anti-HIV-1 therapy", Annals N.Y. Acad. Sci., 660:95-106
- * Zenke et al., "Receptor-mediated Endocytosis of Transferrin-Polycation Conjugates: An Efficient Way to Introduce DNA into Hematopoietic Cells," Proc. Natl. Acad. Sci. USA 87:3655 (1990) (Abstract)
- * Zhou et al., "Synthesis of Functional mRNA in Mammalian Cells by Bacteriophage T3 RNA Polymerase," Mol. Cell. Biol. 10:4529-4537 (1990)

Respectfully submitted,

Date: June 17, 2002

Reg. No. 43,673

#5/I.D.S.

Sheet 1 of 13

FORM PTO-1449 (Rev. 2-32)

JUN 2 4 2002

U.S. Department of Commerce Patent and Trademark Office

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary ECEIVED

JUN 2 7 2002

TECH CENTER 1600/2900

Atty. Docket No.

Serial No.

MBHB 00-812-F (400/043) 10/056,414

Applicant:

Stinchcomb, et al.

Filing Date:

Group:

January 23, 2002

1635

U.S. PATENT DOCUMENTS

Examiner Initial		Document Number	Date	Name	Class	Subclass	Filing Dat if Appropriat
	*	5,168,053	08/17/90	Altman			
	*	4,987,071	01/22/91	Cech et al.			0 0 3
	*	5,496,598	03/05/96	Draper			
	*	5,525,468	06/11/96	McSwiggen			
7	*	5,328,470	07/26/91	Nabel et al.			
	*	5,213,580	05/25/93	Slepian			

FOREIGN PATENT DOCUMENTS

	Document Number	Date	Country	Class	Subclass	Trans	lation
						Yes	No
*	WO 92/20348 (Calabretta et a.)	11/26/92	PCT				
*	WO 93/23569 (Draper et al.)	11/25/93	PCT				
*	WO 99/16871 (Eckstein et al.)	04/08/99	PCT				
*	WO 91/15580 (Fung et al.)	10/17/91	PCT				
*	WO 93/09789 (Gewirtz)	05/27/93	PCT				
*	WO 92/00080 (Reddy)	01/09/92	PCT				
*	WO 93/08845 (Rosenberg)	05/13/93	PCT				
*	WO 91/03162 (Rossi et al.)	03/21/91	PCT			1 = 11	
*	WO 91/18913 (Scanlon)	12/12/91	PCT				

EXAMINER	DATE CONSIDERED

FORM PTO-1449 (Rev. 2-32)

U.S. Department of Commerce Patent and Trademark Office Atty. Docket No. Serial No.

Sheet 2 of 13

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

MBHB 00-812-F 10/056,414 (400/043)

RECEIVED

Stinchcomb, et al.

Filing Date:

Applicant:

Group:

JUN 2 7 2002

January 23, 2002

1635

FOREIGN PATENT DOCUMENTS

Document Number	Date	Country	Class	Subclass	Trans	lation
					Yes	N
WO 91/18624 (Scanlon)	12/12/91	PCT				
WO 91/18625 (Scanlon)	12/12/91	PCT				
WO 92/11298 (Sproat)		PCT				
WO 94/02595 (Sullivan et al.)	02/03/94	PCT				
WO 93/02654 (Sytkowski)	02/18/93	PCT			1	
WO 93/15187 (Usman et al.)	08/05/93	PCT				

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Akhtar and Juliano, "Cellular Uptake and Intracellular Fate of AntiSense Oligonucleotides, " Trend Cell Biol. 2:139-144 (1992)
*	Alitalo et al., "Aberrant Expression of An Amplified <i>c-myb</i> Oncogene in two cell lines from a colon carcinoma," Proc. Natl. Acad. Sci. USA 81:4534-4538 (1984)
*	Anfossi et al., "An oligomer complementary to <i>c-myb</i> -encoded mRNA inhibits proliferation of human myeloid leukemia cell lines," Proc. Natl. Acad. Sci. USA 86:3379-3383 (1989)
*	Austin et al., "Intimal Proliferation of Smooth Muscle Cells as an Explanation for Recurrent Coronary Artery Stenosis After Percutaneous Transluminal Coronary Angioplasty," J. Am. Coll. Cardiol. 6:369-375 (1985)
 *	Ballantyne et al., "Nucleotide Sequence of the cDNA for murine intercellular adhesion molecule-1 (ICAM-1)," <u>Nucleic Acids Research</u> 17:5853 (1989)
*	Banskota et al., "Insulin, Insulin-Like Growth Factor I and Platelet-Derived Growth Factor Interact Additively in the Induction of the Protooncogene <i>c-myc</i> and Cellular Proliferation in Cultured Bovine Aortic Smooth Muscle Cells," Molec. Endocrinol., 3:1183-1190 (1989)

DATE CONSIDERED
DATE CONSI

FORM PTO-1449 (Rev. 2-32)

U.S. Department of Commerc Patent and Trademark Office

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

RÉCEIVED

JUN 2 7 2002

TECH CENTER 1600, 2900

Atty. Docket No.

MBHB 00-812-F (400/043)

Serial No.

Sheet 3 of 13

10/056,414

Applicant:

Stinchcomb, et al.

Filing Date:

Group:

January 23, 2002

1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Barinaga, "Ribozymes: Killing the Messenger," Science 262:1512-1514 (1993)
*	Belknap et al., "Modulation-Induced Expression of Serum Response Factor in Vascular Smooth Muscle Cells," L Cell Biochem. S18A:277 at E200 (1994)
*	Bennett et al., "Cationic Lipids Enhance Cellular Uptake and Activity of Phosphorothioate Antisense Oligonucleotides," Mol. Pharmacology 41:1023-1033 (1992)
*	Biotech Abstracts Act. #91-00050 EP 388758 (9/26/90)
*	Biro et al., "Inhibitory Effects of Antisense Oligodeoxynucleotides targeting <i>c-myc</i> mRNA on smooth muscle cell proliferation and migration," Proc. Natl. Acad. Sci. USA 90:654-658 (1993)
*	Blam et al., "Addition of Growth Hormone Secretion Signal to basic Fibroblast Growth Factors Results in Cell Transformation and Secretion of Aberrant Forms of the Protein," Oncogene 3:129-136 (1988)
*	Bours et al., "A Novel Mitogen-Inducible Gene Product Related to p50/p105-NF-kB Participates in Transactivation through a kB Site," Molecular and Cellular Biology 12:685-695 (1992)
*	Brown et al., "Expression of the <i>c-myb</i> Proto-oncogene in Bovine Vascular Smooth Muscle Cells," <u>L. Biol. Chem.</u> 267:4625-4630 (1992)
*	Bywater et al., "Expression of recombinant platelet-derived growth factor A-chain and B-chain homodimers in Rat-1 cells and human fibroblasts reveals differences in protein processing and autocrine effects," Molecular And Cellular Biology 8:2753-2762 (1988) (ABSTRACT ONLY)
*	Calabretta et al., "Normal and Leukemic Hematopoietic Cells Manifest Differential Sensitivity to Inhibitory Effects o c-myb Antisense Oligodeoxynucleotides: An in vitro study relevant to bone marrow purging," Proc. Natl. Acad. Sci. USA 88:2351-2355 (1991)
*	Califf et al., "Restenosis: The Clinical Issues," in <u>Textbook of Interventional Cardiology</u> , E.J. Topol, ed., W. B. Saunders, Philadelphia, pp 363-394 (1990)
*	Cameron and Jennings, "Specific Gene Expression by Engineered Ribozymes in Monkey Cells," Proc. Natl. Acad. Sci. USA 86:9139-9143 (1989)
*	Cech, "Ribozymes and Their Medical Implications," JAMA 260:3030-3034 (1988)

EXAMINER	DATE CONSIDERED

Sheet 4 of 13 **FORM PTO-1449** Atty. Docket No. **U.S. Department of Commerce** Serial No. (Rev. 2-32) Pat nt and Trad mark Offic MBHB 00-812-F 10/056,414 INFORMATION DISCLOSURE (400/043)STATEMENT BY APPLICANT (Use several sheets if necessary) RECEIVED Applicant: Stinchcomb, et al. JUN 2 7 2002 Filing Date: Group: TECH CENTER 1600:2900 January 23, 2002 1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Chen et al., "Multitarget-Ribozyme Directed to Cleave at up to Nine Highly Conserved HIV-1 env RNA Regions Inhibits HIV-1 Replication-Potential Effectiveness Against Most Presently Sequenced HIV-1 Isolates," Nucleic Acid Research 20:4581-4589 (1992).
*	Chowrira and Burke, "Extensive Phosphorothioate Substitution Yields Highly Active and Nuclease- Resistant Hairpi Ribozymes," Nucleic Acids Research 20:2835-2840 (1992).
*	Chuat and Galibert, "Can Ribozymes be Used to Regulate Procaryote Gene Expression?" Biochemical and Biophysical Research Communications 162:1025-1029 (1989)
*	Cleary et al., "Cloning and Structural Analysis of cDNAs For bcl-2 and a Hybrid bcl-2/Immunoglobulin Transcript Resulting from the t(14;18) Translocation," Cell 47:19-28 (1986)
*	Clowes et al., "Kinetics of Cellular Proliferation After Arterial Injury," Lab Invest. 49:327-333 (1983)
*	Collins and Olive, "Reaction Conditions and Kinetics of Self-Cleavage of a Ribozyme Derived From Neurospora VS RNA," Biochemistry 32:2795-2799 (1993).
*	Cotten, "The in vivo application of ribozymes," TIBTECH 8:174-178 (1990)
*	Cotten et al., "Chicken Adenovirus (CELO Virus) Particles Augment Receptor-Mediated DNA Delivery to Mammalian Cells and Yield Exceptional Levels of Stable Transformants," L Virol. 67:3777-3785 (1993)
*	Cotten et al., "High-Efficiency Receptor-Mediated Delivery of Small and Large (48 Kilobase Gene Constructs Using the Endosome-Disruption Activity of Defective or Chemically Inactivated Adenovirus Particles," Proc. Natl. Acad. Sci. USA 89:6094-6098 (1992)
*	Cotten et al., "Transferrin-Polycation-Mediated Introduction of DNA into Human Leukemic Cells: Stimulation by Agents that Affect the Survival of Transfected DNA or Modulate Transferrin Receptor Levels," Proc. Natl. Acad. Sc. USA 87:4033 (1990) (Abstract)
*	Cristiano et al., "Hepatic Gene Therapy: Adenovirus Enhancement of Receptor-Mediated Gene Delivery and Expression in Primary Hepatocytes," Proc. Natl. Acad. Sci. USA 90:2122-2126 (1993)
*	Curiel et al., "Adenovirus Enhancement of Transferrin-Polylysine-Mediated Gene Delivery," Proc. Nat. Acad. Sci. USA 88:8850-8854 (1991)

EXAMINER	DATE CONSIDERED

Sheet 5 of 13 **FORM PTO-1449 U.S. Department of Commerce** Atty. Docket No. Serial No. (Rev. 2-32) Patent and Trademark Office MBHB 00-812-F 10/056,414 INFORMATION DISCLOSURE (400/043)STATEMENT BY APPLICANT (Use several sheets if necessary) Applicant: RECEIVED Stinchcomb, et al. JUN 2 7 2002 Filing Date: Group: CENTER 1600 2900 January 23, 2002 1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Dropulic et al., "Functional Characterization of a U5 Ribozyme: Intracellular Suppression of Human Immunodeficiency Virus Type I Expression," Journal of Virology 66:1432-1441 (1992).
*	Eck et al., "Inhibition of Phorbol Ester-Induced Cellular Adhesion by Competitive Binding of NF- _K B In Vivo," Mol. Cell. Biol. 13:6530-6536 (1993)
*	Edgington, "Ribozymes: Stop Making Sense," Biotechnology 10:256-262 (1992)
*	Elroy-Stein and Moss, "Cytoplasmic Expression System Based on Constitutive Synthesis of Bacteriophage T7 RNA Polymerase in Mammalian Cells," Proc. Natl. Acad. Sci. USA 87:6743-6747 (1990).
*	Ferguson et al., "Compensation for Treating Wounds to Inhibit Scar Tissue – Contains Agent Esp. Antibody, Which Selectively Neutralises Fibrotic Growth Factors, "WPI Acc# 92-3659974/44
*	Ferns et al., "Inhibition of Neointimal Smooth Muscle Accumulation After Angioplasty by an Antibody to PDGF," Science 253:1129-1132 (1991)
*	Gao and Huang, "Cytoplasmic Expression of a Reporter Gene by Co-Delivery of T7 RNA Polymerase and T7 Promoter Sequence with Cationic Liposome," Nucleic Acids Research 21:2867-2872 (1993).
*	Garratt et al., "Differential Histopathology of Primary Atherosclerotic and Restenotic Lesions in Coronary Arteries and Saphenous Vein Bypass Grafts: Analysis of Tissue Obtained From 73 Patients by Directional Atherectomy," L Am. Coll. Cardio. 17:442-448 (1991)
*	Geisler et al., "cactus, a Gene Involved in Dorsoventral Pattern Formation of Drosophila, Is Related to the IkB Gene Family of Vertebrates," Cell 71:613-621 (1992)
*	Gewirtz et al., "Facilitating oligonucleotide delivery: Helping antisense deliver on its promise," <u>Proc. Natl. Acad. Sci. USA</u> 93:3161-3163 (1996)
*	Ghosh et al., "Cloning of the p50 DNA Binding Subunit of NF-κB: Homology to rel and dorsal," Cell 62:1019-1029 (1990)
*	Goldberg et al., "Vascular Smooth Muscle Cell Kinetics: A New Assay for Studying Patterns of Cellular Proliferation in vivo," Science 205:920-922 (1979)

EXAMINER	DATE CONSIDERED

Sheet 6 of 13 **FORM PTO-1449** Atty. Docket No. Serial No. **U.S. Department of Commerce** (Rev. 2-32) Patent and Trademark Office MBHB 00-812-F 10/056,414 **INFORMATION DISCLOSURE** (400/043) STATEMENT BY APPLICANT (Use several sheets if necessary) Applicant: Stinchcomb, et al. JUN 2 7 2002 Filing Date: Group: January 23, 2002 1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Griffin and Baylin, "Expression of the <i>c-myb</i> Oncogene in Human Small Cell Lung Carcinoma," Cancer Res. 45:272 275 (1985)
*	Grotendorst et al., "Attachment of Smooth Muscle Cells to Collagen and Their Migration Toward Platelet-Derived Growth Factor," Proc. Natl. Acad. Sci. USA 78:3669-3672 (1982)
*	Guerrier-Takada et al., "The RNA Moiety of Ribonuclease P Is the Catalytic Subunit of the Enzyme," Cell 35:849-857 (1983).
*	Hajjar et al., "Tumor Necrosis Factor-Mediated Release of Platelet-Derived Growth Factor From Cultured Endothelial Cells," <u>L. Exp. Med.</u> 166:235-245 (1987)
*	Hampel et al., "'Hairpin' Catalytic RNA Model: Evidence for Helices and Sequence Requirement for Substrate RNA," Nucleic Acids Research 18:299-304 (1990).
*	Herschlag, "Implications of Ribozyme Kinetics for Targeting the Cleavage of Specific RNA Molecules in vivo: Mor lsn't Always Better," Proc. Natl. Acad. Sci. USA 88:6921-6925 (1991)
*	Hertel et al., "Numbering System for the Hammerhead," Nucleic Acids Research 20:3252 (1992).
*	Higashiyama et al., "A Heparin-Binding Growth Factor Secreted by Macrophage-Like Cells That is Related to EGF, Science 251:936-939 (1991)
*	Jeffries and Symons, "A Catalytic 13-mer Ribozyme," Nucleic Acids Research 17:1371-1377 (1989) (also referred t as Jefferies).
*	Johnston and Hoth, "Present Status and Future Prospects for HIV Therapies," Science 260:1286-1293 (1993)
*	Kashani-Sabet et al., "Reversal of the Malignant Phenotype by an Anti-ras Ribozyme," Antisense Research & Development 2:3-15 (1992).
*	Kaye et al., "Structure and Expression of the Human L-myc Gene Reveal a Complex Pattern Of Alternative mRNA Processing," Mol. Cell. Biol. 8:186-195 (1988)
*	Kindy and Sonenshein, "Regulation of Oncogene Expression in Cultured Aortic Smooth Muscle Cells," <u>J. Biol.</u> Chem. 261:12865-12868 (1986)

EXAMINER	DATE CONSIDERED

<u> </u>			Sheet 7 of 13
FORM PTO-1449 (Rev. 2-32)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No.	Serial No.
JUN 2 4 2002 -	TION DISCLOSURE	MBHB 00-812-F (400/043)	10/056,414
MADENARY	I sheets if necessary) RECEIVED	Applicant:	
	NECEIVED	Stinchcomb, et al.	
	JUN 2 7 2002	Filing Date:	Group:
	TECH CENTER 1600/2900	January 23, 2002	1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Kita et al., "Sequence and expression of rat ICAM-1," Biochem. Biophys. Acta 1131:108-110 (1992)
*	Kitajima et al., "Ablation of Transplanted HTLV-I Tax-Transformed Tumors in Mice by Antisense Inhibition of NF- _K B," Science 258:1792-1795 (1992)
*	Klagsbrun and Edelman, "Biological and Biochemical Properties of Fibroblast Growth Factors," <u>Arteriosclerosis</u> 9:269-278 (1989)
*	Koizumi et al., "Ribozymes Designed to Inhibit Transformation of NIH3T3 Cells by the Activated c-Ha-ras Gene," Gene 117:179-184 (1992)
*	Komuro et al., "Endothelin stimulates c-fos and c-myc expression and proliferation of vascular smooth muscle cells," EEBS Letters 238:249-252 (1988)
*	Kunapuli et al., "Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart - DNA sequence," Circ. Res. 60:786-790 (1987) (ABSTRACT ONLY)
*	Kunsch and Rosen, "NF-KB Subunit-Specific Regulation of the Interleukin-8 Promoter," Mol. Cell. Biol. 13:6137-6146 (1993)
*	La Rosa et al., "Differential Regulation of the <i>c-myc</i> Oncogene Promoter by the NF- _K B Rel Family of Transcription Factors," Mol. Cell. Biol. 14:1039-1044 (1994)
*	Laurence et al., "Inductionof Chronic Human Immunodeficiency Virus Infection Is Blocked In Vitro by a Methylphosphonate Oligodeoxynucleoside Targeted to a U3 Enhancer Element," Journal of Virology 213-219 (1991)
*	Lenardo and Baltimore, "NF-KB: A Pleiotropic Mediator of Inducible and Tissue Specific Gene Control," Cell 58:227-229 (1989)
*	L'Huillier et al., "Cytoplasmic Delivery of Ribozymes Leads to Efficient Reduction in α-Lactalbumin mRNA Levels in C1271 Mouse," EMBO J. 11:4411-4418 (1992).
*	Lieber et al., "Stable High-Level Gene Expression in Mammalian Cells by T7 Phage RNA Polymerase," Methods Enzymol. 217:47-66 (1993).
*	Lindner and Reidy, "Proliferation of Smooth Muscle Cells After Vascular Injury Is Inhibited by an Antibody Agains Basic Fibroblast Growth Factor," Proc. Natl. Acad. Sci. USA 88:3739-3743 (1991)

EXAMINER	DATE CONSIDERED

Sheet 8 of 13 **FORM PTO-1449 U.S. Department of Commerce** Atty. Docket No. Serial No. (Rev. 2-32) Pat nt and Trademark Office MBHB 00-812-F 10/056,414 INFORMATION DISCLOSURE (400/043)STATEMENT BY APPLICANT (Use several sheets if necessary ECEIVED Applicant: JUN 2 7 2002 Stinchcomb, et al. Filing Date: Group: **TECH CENTER 1600-2900** January 23, 2002 1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Lisziewicz et al., "Inhibition of Human Immunodeficiency Virus Type I Replication by Regulated Expression of a Polymeric Tat Activation Response RNA Decoy as a Strategy for Gene Therapy in AIDS," Proc. Natl. Acad. Sci. U.S.A. 90:8000-8004 (1993).
*	Liu et al., "Specific NF- _K B Subunits Act in Concert with Tat To Stimulate Human Immunodeficiency Virus Type 1 Transcription," <u>I. Virology</u> 66:3883-3887 (1992)
*	Majello et al., "Human c-myb Protooncogene: Nucleotide Sequence of cDNA and Organization of the Genomic Locus," Proc. Natl. Acad. Sci. USA 83:9636-9640 (1986)
*	Mamone et al., "Design of Hammerhead Ribozymes Targeted to Sequences in HIV, HSV and the RAT ANF Gene," Abstract of Keystone, CO (May 27, 1992)
*	McGrath et al., "Structure and Organization of the Human Ki-ras Protooncogene And a Related Processed Pseudogene," Nature 304:501-506 (1983)
*	Melani et al., "Inhibition of Proliferation by <i>c-myb</i> Antisense Oligodeoxynucleotide in Colon Adenocarcinoma Cell Lines that Express <i>c-myb</i> ," Cancer Res. 51:2897-2901 (1991)
*	Minvielle et al., "A novel calcitonin carboxyl-terminal peptide produced in medullary thyroid carcinoma by alternative RNA processing of the calcitonin-calcitonin gene-related peptide gene," J. Biol. Chem. 266:24627-25631 (1991) (ABSTRACT ONLY)
*	Nabel et al., "Site-Specific Gene Expression in Vivo by Direct Gene Transfer Into the Arterial Wall," Science 249:1285-1288 (1990)
*	Nabel et al., Recombinant Platelet-Derived Growth Factor B Gene Expression in Porcine Arteries Induces Intimal Hyperplasia In Vivo," L.Clin. Invest. 91:1822-1829 (1993)
*	Narayanan et al., "Evidence for Differential Functions of the p50 and p65 Subunits of NF- _K B with a Cell Adhesion Model," Mol. Cell. Biol. 13:3802-3810 (1993)
*	O'Brien et al., "Vascular Cell Adhesion Molecule-1 is Expressed in Human Coronary Atherosclerotic Plaques," L Clin. Invest. 92:945-951 (1993)

EXAMINER	DATE CONSIDERED

Sheet 9 of 13 **FORM PTO-1449** U.S. Department of Comm rce Atty. Docket No. Serial No. (Rev. 2-32) Patent and Trademark Office MBHB 00-812-F 10/056,414 INFORMATION DISCLOSURE (400/043)STATEMENT BY APPLICANT Use several sheets if necessary)
RECEIVED Applicant: Stinchcomb, et al. JUN 2 7 2002 Filing Date: Group: TECH CENTER 1600:2900 January 23, 2002 1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Ohkawa et al., "Activities of HIV-RNA Targeted Ribozymes Transcribed From a 'Shot-Gun' Type Ribozyme-trimming Plasmid," Nucleic Acids Symp. Ser. 27:15-16 (1992).
*	Ohno et al., "Gene Therapy for Vascular Smooth Muscle Cell Proliferation After Arterial Injury," Science 265:781-784 (1994)
*	Ojwang et al., "Inhibition of Human Immunodeficiency Virus Type 1 Expression by a Hairpin Ribozyme," Proc. Nat Acad. Sci. USA 89:10802-10806 (1992).
*	Pavco et al., "Regulation of Self-Splicing Reactions by Antisense RNA," Abstract of Keystone, CO (May 27, 1992)
*	Perkins et al., "Distinct combinations of NF- _K B subunits determine the specificity of transcriptional activation," <u>Proc. Natl. Acad. Sci. USA</u> 89:1529-1533 (1992)
*	Perreault et al., "Mixed Deoxyribo- and Ribo-Oligonucleotides with Catalytic Activity," Nature 344:565-567 (1990) (often mistakenly listed as Perrault).
*	Perrotta and Been, "Cleavage of Oligoribonucleotides by a Ribozyme Derived from the Hepatitis δ Virus RNA Sequence," Biochemistry 31:16-21 (1992).
*	Pieken et al., "Kinetic Characterization of Ribonuclease-Resistant 2'-Modified Hammerhead Ribozymes," Science 253:314-317 (1991).
*	Popoma et al., "Clinical Trials of Restenosis After Coronary Angioplasty," Circulation 84:1426-1436 (1991)
*	Raines et al., "Interleukin-1 Mitogenic Activity for Fibroblasts and Smooth Muscle Cells Is Due to PDGF-AA," Science 243:393-396 (1989)
*	Raschella et al., "Inhibition of Proliferation by <i>c-myb</i> Antisense RNA and Oligodeoxynucleotides in Transformed Neuroectodermal Cell Lines," Cancer Research 52:4221-4226 (1992)
*	Ratajczak et al., "In Vivo Treatment of Human Leukemia in a scid Mouse Model With c-myb Antisense Oligodeoxynucleotides," Proc. Natl. Acad. Sci. USA 89:11823-11827 (1992)
*	Ray and Prefontaine, "Physical association and functional antagonism between the p65 subunit of transcription facto NF- _K B and the glucocorticoid receptor," Proc. Natl. Acad. Sci. USA 91:752-756 (1994)

EXAMINER	DATE CONSIDERED



1635

Sheet 10 of 13 **FORM PTO-1449 U.S. Department of Commerce** Atty. Docket No. Serial No. (Rev. 2-32) **Patent and Trademark Office** MBHB 00-812-F 10/056,414 INFORMATION DISCLOSURE (400/043) STATEMENT BY APPLICANT (Use several sheets if necessary) RECEIVED Applicant: Stinchcomb, et al. JUN 2 7 2002 Filing Date: Group: TECH CENTER 1600:2900 January 23, 2002

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Read et al., "NF- _K B and I _K Bα: An Inducible Regulatory System in Endothelial Activation," <u>I. Exp. Med.</u> 179:503-512 (1994)
*	Riessen et al., "Arterial Gene Transfer Using Pure DNA Applied Directly to a Hydrogel-Coated Angioplasty Balloon,"Human Gene Therapy 4:749-758 (1993)
*	Roessler et al., "Adenoviral-mediated Gene Transfer to Rabbit Synovium in Vivo," L. Clin. Invest. 92:1085-1092 (1993)
*	Rojanasakul, "Antisense oligonucleotide therapeutics: drug delivery and targeting," Advanced Drug Delivery Reviews 18:115-131 (1996)
*	Ross et al., "A Platelet-Dependent Serum Factor That Stimulates the Proliferation of Arterial Smooth Muscle Cells I Vitro," Proc. Natl. Acad. Sci. USA 71:1207-1210 (1974)
*	Rossi et al., "Ribozymes as Anti-HIV-1 Therapeutic Agents: Principles, Applications, and Problems," Aids Researc and Human Retroviruses 8:183-189 (1992).
*	Rossi et al., "Ribozyme-mediated intracellular immunity to HIV-1 in CD4+ Hela Cells - hammerhead RNA; antisens RNA gene cloning and expression in cell culture; potential application in gene therapy; protection against HIV virus-1 infection," J. Cell. Biochem. Supplement 14A:D428 (1990) (ABSTRACT ONLY)
*	Ruben et al., "Isolation of a rel-related human cDNA that potentially encodes the 65-kD subunit of NF, kappba B," Science 251-5000 (1991)
*	Ruben et al., "Isolation of a rel-related human cDNA that potentially encodes the 65-kD subunit of NF, kappba B," Science 251-5028 (1991)
*	Ruben et al., Genes & Development 6:745-760 (1992)
*	Sarver et al., "Catalytic RNAs (Ribozymes): A New Frontier in Biomedical Applications," AIDS Res. Revs. 2:259-285 (1992)
*	Sarver et al., "Ribozymes as Potential Anti-HIV-1 Therapeutic Agents" Science 247:1222-1225 (1990).
*	Saville and Collins, "A Site-Specific Self-Cleavage Reaction Performed by a Novel RNA In Neurospora Mitochondria," Cell 61:685-696 (1990).

EXAMINER	DATE CONSIDERED



Sheet 11 of 13 **FORM PTO-1449** Atty. Docket No. **U.S. Department of Commerce** Serial No. (Rev. 2-32) Patent and Trademark Offic MBHB 00-812-F 10/056,414 **INFORMATION DISCLOSURE** (400/043) STATEMENT BY APPLICANT Use several sheets if necessary) RECEIVED Applicant: Stinchcomb, et al. JUN 2 7 2002 Filing Date: Group: TECH CENTER 1600/2900 January 23, 2002 1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Saville and Collins, "RNA-Mediated Ligation of Self-Cleavage Products of a Neurospora Mitochondrial Plasmid Transcript," Proc. Natl. Acad. Sci. USA 88:8826-8830 (1991).
*	Scanlon et al., "Ribozyme-Mediated Cleavage of c-fos mRNA Reduces Gene Expression of DNA Synthesis Enzyme and Metallothionein," Proc. Natl. Acad. Sci. USA 88:10591-10595 (1991).
*	Scaringe et al., "Chemical synthesis of biologically active oligoribonucleotides using β-cyanoethyl protected ribonucleoside phosphoramidites," Nucl Acids Res. 18:5433-5441 (1990).
*	Schmid et al., "Cloning of an NF-κB subunit which stimulates HIV transcription in synergy with p65," Nature 352:733-736 (1991)
*	Semba, "A v-erbB-Related Protooncogene, C-erB-2, Is Distinct From the c-erbB-1/Epidermal Growth Factor-Receptor Gene and Is Amplified in A Human Salivary Gland Adenocarcinoma," Proc. Natl. Acad. Sci. USA 82:6497 6501 (1985)
*	Sessa et al., "Molecular Cloning and Expression of a cDNA Encoding Endothelial Cell Nitric Oxide Synthase," L Biol. Chem., 267:15274-15276 (1992)
*	Seth et al., "Mechanism of Enhancement of DNA Expression Consequent to Cointernalization of a Replication-Deficient Adenovirus and Unmodified Plasmid DNA," L Virol. 68:933-940 (1994)
*	Shi et al., "Down Regulation of <i>c-myc</i> Expression by Antisense Oligonucleotides Inhibits Proliferation of Human Smooth Muscle Cells," Circulation 88:1190-1195 (1993)
*	Shu et al., "Differential Regulation of Vascular Cell Adhesion Molecule 1 Gene Expression by Specific NF- _K B Subunits in Endothelial and Epithelial Cells," Mol. Cell. Biol. 13:6283-6289 (1993)
*	Simmons et al., "ICAM, an adhesion ligand of LFA-1, is homologous to the neural cell adhesion molecule NCAM," Nature 331:624-627 (1988)
*	Simons et al., "Antisense c-myb Oligonucleotides Inhibit Intimal Arterial Smooth Muscle Cell Accumulation in vivo, Nature 359:67-70 (1992)
*	Simons et al., "Relation Between Activated Smooth Muscle Cells in Coronary-Artery Lesions and Restenosis After Atherectomy," New Engl. J. Med. 328:608-613 (1993)

EXAMINER	DATE CONSIDERED
	<u></u>




Sheet 12 of 13 **FORM PTO-1449** Serial No. U.S. Department of Commerc Atty. Docket No. (Rev. 2-32) Patent and Trademark Office MBHB 00-812-F 10/056,414 INFORMATION DISCLOSURE (400/043)STATEMENT BY APPLICANT (Use several sheets if necessary) Applicant: RECEIVED Stinchcomb, et al. JUN 2 7 2002 Filing Date: Group: January 23, 2002 1635

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Sioud and Drlica, "Prevention of Human Immunodeficiency Virus Type 1 Integrase Expression in <i>Escherichia coli</i> b a Ribozyme," <u>Proc. Natl. Acad. Sci. USA</u> 88:7303-7307 (1991)
*	Sjolund et al., "Arterial Smooth Muscle Cells Express Platelet-Derived Growth Factor (PDGF) A Chain mRNA, Secrete a PDGF-Like Mitogen, and Bind Exogenous PDGF in a Phenotype- and Growth State- Dependent Manner," L.Cell. Biol. 106:403-413 (1988)
*	Slamon et al., "Studies of the Human <i>c-myb</i> Gene and Its Products In Human Acute Leukemias," Science 233:347-351 (1986)
*	Slamon et al., "Expression of Cellular Oncogenes in Human Malignancies," Science 224:256-262 (1984)
*	Stull and Szoka, "Antigene, Ribozyme and Aptamer Nucleic Acid Drugs: Progress and Prospects," Pharmaceutical Research 12:465-483 (1995)
*	Taira et al., "Construction of a novel RNA-transcript-trimming plasmid which can be used both in vitro in place of run-off and (G)-free transcriptions and in vivo as multi-sequences transcription vectors," Nucleic Acids Research 19:5125-5130 (1991).
*	Ten Dijke et al., "Recombinant transforming growth factor type β-3 biological activities and receptor-bonding properties in isolated bone cells," Molecular and Cellular Biology 10:4473-4479 (1990) (ABSTRACT ONLY)
*	Tessler et al., "Basic fibroblast growth factor accumulates in the nuclei of various BFGF-producing cell types," L Cellular Physiology 145:310-317 (1990) (ABSTRACT ONLY)
*	Thanos et al., "The High Mobility Group Protein HMG I(Y) Is Required for NF-κB-Dependent Virus Induction of the Human IFN-β Gene," Cell 71:777-789 (1992)
*	Thiele et al., "Regulation of <i>c-myb</i> Expression in Human Neuroblastoma Cells During Retinoic Acid-Induced Differentiation," Mol. Cell. Biol. 8:1677-1683 (1988)
*	Torelli et al., "Expression of <i>c-myb</i> Protoncogene and Other Cell Cycle-Related Genes in Normal and Neoplastic Human Colonic Mucosa," Cancer Res. 47:5266-5269 (1987)
*	Uhlenbeck, "A Small Catalytic Oligoribonucleotide," Nature 328:596-600 (1987) (this is listed as Nature 327 in the various specifications, but it is actually 328).

EXAMINER	DATE CONSIDERED



Sheet 13 of 13

FORM PTO-1449 (Rev. 2-32)	U.S. Department of Commerc Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Atty. Docket No. MBHB 00-812-F (400/043)	Serial No. 10/056,414
	(Use several sheets if necessary) RECEIVED JUN 2 7 2002	Applicant: Stinchcomb, et al.	
		Filing Date: January 23, 2002	Group:
	TECH CENTER 1600-2900	1	1,000

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

*	Usman and Cedergren, "Exploiting the chemical synthesis of RNA," TIBS 17:334-339 (1992).
*	Usman et al., "Automated Chemical Synthesis of Long Oligoribonucleotides Using 2'-O-Silylated Ribonucleoside 3'-O-Phosphoramidites on a Controlled-Pore Glass Support: Synthesis of a 43-Nucleotide Sequence Similar to the 3'-Half Molecule of an Escherichia coli Formylmethoionine tRNA," J. Am. Chem. Soc. 109:7845-7854 (1987).
*	van de Stolpe et al., "12-O-Tetradecanoylphorbol- 13-acetate- and Tumor Necrosis Factor α-meidated Induction of Intercellular Adhesion Molecule-1 Is Inhibited by Dexamethasone," J. Biol. Chem. 269:6185-6192 (1994)
*	Ventura et al., "Activation of HIV-Specific Ribozyme Activity by Self-Cleavage," Nucleic Acids Research 21:3249-3255 (1993).
*	Weerasinghe et al., "Resistance to Human Immunodeficiency Virus Type 1 (HIV-1) Infection in Human CD4+ Lymphocyte-Derived Cell Lines Conferred by Using Retroviral Vectors Expressing an HIV-1 RNA-Specific Ribozyme," Journal of Virology 65:5531-5534 (1994).
*	Weiser et al., "The Growth-related Transcription Factor OCT-1 is Expressed as a Function of Vascular Smooth Muscle Cell Modulation," <u>Journal of Virology</u> S18A:282 (1994)
*	Westin et al., "Alternative Splicing of the Human c-myb Gene," Oncogene 5:1117-1124 (1990)
*	Willard et al., "Recombinant Adenovirus in an Efficient Vector for <i>In Vivo</i> Gene Transfer and can be Preferentially Directed at Vascular Endothelium or Smooth Muscle Cells," <u>Circulation - Abstracts from the 6th Scientific Sessions</u> , New Orleans Convention Center, New Orleans, Louisiana, November 16-19, 1992 86:I-473 at 1880
*	Yu et al., "A Hairpin Ribozyme Inhibits Expression of Diverse Strains of Human Immunodeficiency Virus Type 1," Proc. Natl. Acad. Sci. USA 90:6340-6344 (1993).
*	Zaia et al., "Status of ribozyme and antisense-based developmental approaches for anti-HIV-1 therapy", Annals N.Y. Acad. Sci., 660:95-106
*	Zenke et al., "Receptor-mediated Endocytosis of Transferrin-Polycation Conjugates: An Efficient Way to Introduce
*	Zhou et al., "Synthesis of Functional mRNA in Mammalian Cells by Bacteriophage T3 RNA Polymerase," Mol. and Cell. Biol. 10:4529-4537 (1990).

EXAMINER	DATE CONSIDERED